

SAFETY DATA SHEET
PolyPlus (hardener component part B)

SECTION 1: IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

1.1 Product Identifier

Product name PolyPlus (hardener component part B)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Adhesive.

1.3 Details of the supplier of the safety data sheet

Supplier Helifix
The Mille
1000 Great West Road (10th Floor)
Brentford
London TW8 9DW

Tel: +44 (0)20 8735 5200
Fax: +44 (0)20 8735 5201
Email: sales@helifix.co.uk

1.4 Emergency telephone number

+44 (0)20 8735 5200 (Mon – Fri 09:00 – 17:00)

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not classified

Health hazards Eye Irrit. 2 - H319 Skin Sens. 1 - H317

Environmental hazards Aquatic Acute 1 - H400 Aquatic Chronic 3 - H412

Human health May cause skin disorders if contact is repeated or prolonged. The product is irritating to eyes and skin.

Environmental The product contains a substance which is very toxic to aquatic organisms and which may cause long-term adverse effects in the aquatic environment.

Physicochemical Not considered to be a significant hazard due to the small quantities used.

2.2. Label elements

Pictogram



Signal word Warning



SAFETY DATA SHEET
PolyPlus (hardener component part B)

Hazard statements

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H400 Very toxic to aquatic life.
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352 IF ON SKIN: Wash with plenty of water.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P501 Dispose of contents/container in accordance with national regulations.

Contains

BENZOYL PEROXIDE

Supplementary precautionary statements

P264 Wash contaminated skin thoroughly after handling.
P337+P313 If eye irritation persists: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash before reuse.
P391 Collect spillage.
P411 Store at temperatures not exceeding 25°C

2.3. Other hazards

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

BENZOYL PEROXIDE **10-15%**
CAS number: 94-36-0 **EC number:** 202-327-6 **REACH registration number:** 01-2119511472-50-XXXX
M factor (Acute) = 10

Classification

Org. Perox. B - H241
Eye Irrit. 2 - H319
Skin Sens. 1 - H317
Aquatic Acute 1 - H400

BENZOIC ACID,NONYL ESTER,BRANCHED AND LINEAR **5-10%**
CAS number: 670241-72-2 **EC number:** 447-010-5 **REACH registration number:** 01-0000018876-55-XXXX

Classification

Aquatic Chronic 2 - H411

The Full Text for all Hazard Statements are Displayed in Section 16.



SAFETY DATA SHEET
PolyPlus (hardener component part B)

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

| | |
|---------------------|---|
| Inhalation | Move affected person to fresh air at once. Get medical attention if any discomfort continues. |
| Ingestion | Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any discomfort continues. |
| Skin contact | Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues. |
| Eye contact | Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after washing. Show this Safety Data Sheet to the medical personnel. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|---------------------|--|
| Ingestion | May cause discomfort if swallowed. |
| Skin contact | Causes skin irritation. |
| Eye contact | Irritation of eyes and mucous membranes. |

4.3. Indication of any immediate medical attention and special treatment needed

| | |
|-----------------------------|---|
| Notes for the doctor | No specific recommendations. If in doubt, get medical attention promptly. |
|-----------------------------|---|

SECTION 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media

| | |
|-------------------------------------|---|
| Suitable extinguishing media | Extinguish with foam, carbon dioxide or dry powder. |
|-------------------------------------|---|

5.2. Special hazards arising from the substance or mixture

| | |
|--------------------------------------|--|
| Specific hazards | No specific precautions due to the small quantities handled. |
| Hazardous combustion products | Oxides of carbon. |

5.3. Advice for firefighters

| | |
|--|---|
| Protective actions during firefighting | Avoid breathing fire gases or vapours. |
| Special protective equipment for firefighters | Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. |



SAFETY DATA SHEET
PolyPlus (hardener component part B)

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Environmental precautions Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Collect and place in suitable waste disposal containers and seal securely. For waste disposal, see Section 13.

6.4. Reference to other sections

Reference to other sections Wear protective clothing as described in Section 8 of this safety data sheet. For waste disposal, see Section 13

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Usage precautions Keep away from heat, sparks and open flame.

Advice on general occupational hygiene Do not eat, drink or smoke when using this product. No specific hygiene procedures recommended but good personal hygiene practices should always be observed when working with chemical products.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Keep away from flammable and combustible materials. Store in closed original container at temperatures between 5°C and 25°C.

Storage class Chemical storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits

BENZOYL PEROXIDE

Long-term exposure limit (8-hour TWA): WEL 5 mg/m³

WEL = Workplace Exposure Limit

BENZOYL PEROXIDE (CAS: 94-36-0)

DNEL Industry - Oral; Long term : 1.6 mg/kg/day
Industry - Dermal; Long term : 6.6 mg/kg/day

SAFETY DATA SHEET
PolyPlus (hardener component part B)

Industry - Inhalation; Long term : 11.75 mg/m³

PNEC

- Fresh water; 0.000602 mg/l
- Sediment (Freshwater); 0.338 mg/kg
- Marine water; 0.0000602 mg/l
- Sediment (Marinewater); 0.0338 mg/kg
- STP; 0.35 mg/l

8.2. Exposure controls

Protective equipment



Appropriate engineering controls Provide adequate ventilation.

Eye/face protection The following protection should be worn: Chemical splash goggles.

Hand protection Wear protective gloves made of the following material: Nitrile rubber.

Other skin and body protection Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene measures Wash hands at the end of each work shift and before eating, smoking and using the toilet. DO NOT SMOKE IN WORK AREA!

Respiratory protection No specific recommendations.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

| | |
|--|-----------------|
| Appearance | Liquid |
| Colour | Black. |
| Odour | Characteristic. |
| Odour threshold | Not determined. |
| pH | Not applicable |
| Melting point | Not applicable. |
| Initial boiling point and range | Not applicable. |
| Flash point | Not applicable. |
| Evaporation rate | Not determined. |



SAFETY DATA SHEET
PolyPlus (hardener component part B)

| | |
|---|---------------------------|
| Evaporation factor | Not determined. |
| Flammability (solid, gas) | Not determined. |
| Upper/lower flammability or explosive limits | Not determined. |
| Other flammability | Not determined. |
| Vapour pressure | Not determined. |
| Vapour density | Not determined. |
| Relative density | 1.5 – 1.6 |
| Bulk density | Not applicable. |
| Solubility(ies) | Not determined. |
| Partition coefficient | Not determined. |
| Auto-ignition temperature | Not determined |
| Decomposition temperature | >50°C |
| Viscosity | > 60 S ISO2431 |
| Explosive properties | No information available. |
| Oxidising properties | Not determined. |

9.2. Other information

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity The following materials may react with the product: Acids. Alkalis. Amines. Strong reducing agents.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended. Will decompose at temperatures exceeding 50°C.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions Will not polymerise.

10.4. Conditions to avoid

Conditions to avoid Avoid contact with strong reducing agents. Avoid heat. Avoid contact with acids and alkalis.

10.5. Incompatible materials

Materials to avoid Strong reducing agents. Acids, non-oxidising. Acids - organic. Alkalis - inorganic. Alkalis – organic. Amines.



SAFETY DATA SHEET
PolyPlus (hardener component part B)

10.6. Hazardous decomposition products

Hazardous decomposition products Oxides of carbon.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Skin sensitisation

Skin sensitisation Sensitising.

Inhalation No specific health hazards known.

Ingestion May cause discomfort if swallowed.

Skin contact Irritating to skin. May cause sensitisation by skin contact.

Eye contact Irritation of eyes and mucous membranes.

Route of entry Skin and/or eye contact.

Medical symptoms Skin irritation. Irritation of eyes and mucous membranes.

Medical considerations No information available.

Toxicological information on ingredients.

BENZOYL PEROXIDE

Acute toxicity - oral

Acute toxicity oral (LD50 mg/kg) 950.0

Species Rat

Carcinogenicity

IARC carcinogenicity IARC Group 3 Not classified as to its carcinogenicity to humans.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecological information on ingredients.

BENZOYL PEROXIDE

Acute aquatic toxicity LE(C)₅₀ 0.01 < L(E)C₅₀ ≤ 0.1

M factor (Acute) 10

Acute toxicity – fish LC₅₀, 96 hours: 0.06 mg/l, Onchorhynchus mykiss (Rainbow trout)

Acute toxicity - aquatic invertebrates EC₅₀, 48 hours: 0.11 mg/l, Daphnia magna



SAFETY DATA SHEET
PolyPlus (hardener component part B)

Acute toxicity - aquatic plants EC₅₀, 72 hours: 0.07 mg/l, Selenastrum capricornutum

BENZOIC ACID,NONYL ESTER,BRANCHED AND LINEAR

Acute toxicity – fish LC₅₀, 24 hours: > 1.23 mg/l, Cyprinus carpio (Common carp)
LC₅₀, 48 hours: > 1.23 mg/l, Cyprinus carpio (Common carp)
LC₅₀, 72 hours: > 1.23 mg/l, Cyprinus carpio (Common carp)
EC₅₀, 96 hours: > 1.23 mg/l, Cyprinus carpio (Common carp)
EC₁₀₀, 96 hours: > 1.23 mg/l, Cyprinus carpio (Common carp)
NOEC, 96 hours: > 1.23 mg/l, Cyprinus carpio (Common carp)

Acute toxicity - aquatic invertebrates EC₅₀, 24 hours: > 2.2 mg/l, Daphnia magna
EC₅₀, 48 hours: > 2.2 mg/l, Daphnia magna
NOEC, 48 hours: > 2.2 mg/l, Daphnia magna

Acute toxicity – microorganisms IC₅₀, 3 hours: > 1000 mg/l, Activated sludge
NOEC, 3 hours: > 1000 mg/l, Activated sludge

12.2. Persistence and degradability

Persistence and degradability There are no data on the degradability of this product.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient Not determined.

12.4. Mobility in soil

Mobility Mobile. The product is partly miscible with water and may spread in the aquatic environment.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

General information Dispose of waste product or used containers in accordance with local regulations

Disposal methods Dispose of waste via a licensed waste disposal contractor.

SECTION 14: TRANSPORT INFORMATION

14.1. UN number

UN No. (ADR/RID) 3082

UN No. (IMDG) 3082

UN No. (ICAO) 3082

UN No. (ADN) 3082

SAFETY DATA SHEET
PolyPlus (hardener component part B)

14.2. UN proper shipping name

Proper shipping name (AD/RID) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. BENZOYL PEROXIDE

Proper shipping name (IMDG) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. BENZOYL PEROXIDE

Proper shipping name (ICAO) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. BENZOYL PEROXIDE

Proper shipping name (ADN) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. BENZOYL PEROXIDE

14.3. Transport hazard class(es)

ADR/RID class 9

ADR/RID classification code M6

ADR/RID label 9

IMDG class 9

ICAO class/division 9

ADN class 9

Transport labels



14.4. Packing group

ADR/RID packing group III

IMDG packing group III

ICAO packing group III

ADN packing group III

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant



14.6. Special precautions for user

EmS F-A, S-F

ADR transport category 3

Emergency Action Code •3Z

Hazard Identification Number 90

(ADR/RID)

Tunnel restriction code (E)



SAFETY DATA SHEET
PolyPlus (*hardener component part B*)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation (EU) No 2015/830

Guidance Workplace Exposure Limits EH40.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: OTHER INFORMATION

Revision date 05/05/2017
Revision 2
SDS number HUK10

Hazard statements in full

H241 Heating may cause a fire or explosion.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H400 Very toxic to aquatic life.
H411 Toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects

Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.