

Epoxy Primer

Damp Tolerable Pre-Primer for Porous Surfaces



DECLARATION OF PERFORMANCE

According to Annex III of the Regulation (EU) No. 305/2011

1. UNIQUE IDENTIFICATION CODE OF THE PRODUCT TYPE:

901-P

2. TYPE, BATCH OR SERIAL NUMBER OF ANY OTHER ELEMENT ALLOWING IDENTIFICATION OF THE CONSTRUCTION PRODUCT:

Production date and batch are printed on the packaging.

3. INTENDED USE/S:

Two component moisture tolerant epoxy resin primer. According to EN 13813: SR-B2.0

4. MANUFACTURER:

Newton Waterproofing Systems
(a trading name of John Newton & Company Ltd.)
Newton House
17-19 Sovereign Way
Tonbridge
Kent
TN9 1RH
01732 360095
www.newtonwaterproofing.co.uk

5. AUTHORISED REPRESENTATIVE:

Not Applicable

6. SYSTEM/S OF AVCP:

System 4

7. HARMONISED STANDARD:

EN 13813:2002

NOTIFIED BODY/IES:

Not applicable

Epoxy Primer

Damp Tolerable Pre-Primer For Porous Surfaces

8. EUROPEAN ASSESSMENT DOCUMENT:

Not applicable

EUROPEAN TECHNICAL ASSESSMENT:

Not applicable

TECHNICAL ASSESSMENT BODY:

Not applicable

NOTIFIED BODY/IES:

Not applicable

9. DECLARED PERFORMANCE:

Essential characteristics	Declared performance	Test standard	Harmonised Technical Standard
Release of corrosive substances	SR	(EN 13813, 5.3.5)	EN 13813:2002
Water permeability	NPD		
Wear resistance	NPD	EN 13892-4	
Bond strength	>B2.0	EN 13892-8	
Impact resistance	>IR10	EN ISO 6272	
Reaction to fire	NPD		
Sound absorption	NPD		
Thermal resistance	NPD		
Chemical resistance	NPD		

10. APPROPRIATE TECHNICAL DOCUMENTATION AND/OR SPECIFIC TECHNICAL DOCUMENTATION:

The performance of the product identified above is in conformity with the set of declared performances. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Name: Warren Muschialli - Managing Director



At: Newton Waterproofing Systems
Newton House
17-19 Sovereign Way
Tonbridge
Kent
TN9 1RH



On: 02 September 2020

Epoxy Primer

Damp Tolerable Pre-Primer For Porous Surfaces

				Newton Waterproofing Systems Newton House 17-19 Sovereign Way Tonbridge Kent TN9 1RH		901-P EN 13813:2002 Two component moisture tolerant epoxy resin primer. According to EN 13813: SR-B2.0	
Essential characteristics		Declared performance		Test standard		Harmonised Technical Standard	
Release of corrosive substances		SR		(EN 13813, 5.3.5)		EN 13813:2002	
Water permeability		NPD					
Wear resistance		NPD		EN 13892-4			
Bond strength		>B2.0		EN 13892-8			
Impact resistance		>IR10		EN ISO 6272			
Reaction to fire		NPD					
Sound absorption		NPD					
Thermal resistance		NPD					
Chemical resistance		NPD					

Any specification/advice provided is only valid if used with products supplied by John Newton and Company Ltd (trading as Newton Waterproofing Systems). Newton Waterproofing Systems reserve the right to update product literature at any time. Please always refer to our [website](http://www.newtonwaterproofing.co.uk) for the latest versions.