

# Epoxy Top Coat

High Build Epoxy Floor Coating



## DECLARATION OF PERFORMANCE

According to Annex III of the Regulation (EU) No. 305/2011

### 1. UNIQUE IDENTIFICATION CODE OF THE PRODUCT TYPE:

701-HB

### 2. TYPE, BATCH OR SERIAL NUMBER OF ANY OTHER ELEMENT ALLOWING IDENTIFICATION OF THE CONSTRUCTION PRODUCT:

Production date and batch are printed on the packaging.

### 3. INTENDED USE/S:

Two-component epoxy resin based floor coating. According to EN 13813: SR-B2.0-AR0.5-IR10. For internal uses only and not subject to fire regulations

### 4. MANUFACTURER:

Newton Waterproofing Systems  
(a trading name of John Newton & Company Ltd.)  
Newton House  
17-19 Sovereign Way  
Tonbridge  
Kent  
TN9 1RH  
01732 360095  
[www.newtonwaterproofing.co.uk](http://www.newtonwaterproofing.co.uk)

### 5. AUTHORISED REPRESENTATIVE:

Not Applicable

### 6. SYSTEM/S OF AVCP:

System 4

# Epoxy Top Coat

## High Build Epoxy Floor Coating

### 7. HARMONISED STANDARD:

EN 13813:2002

NOTIFIED BODY/IES:

Not applicable

### 8. EUROPEAN ASSESSMENT DOCUMENT:

Not applicable

EUROPEAN TECHNICAL ASSESSMENT:

Not applicable

TECHNICAL ASSESSMENT BODY:

Not applicable

NOTIFIED BODY/IES:

Not applicable

### 9. DECLARED PERFORMANCE:

| Essential characteristics       | Declared performance | Test standard     | Harmonised Technical Standard |
|---------------------------------|----------------------|-------------------|-------------------------------|
| Release of corrosive substances | SR                   | (EN 13813, 5.3.5) | EN 13813:2002                 |
| Water permeability              | NPD                  |                   |                               |
| Wear resistance                 | AR0.5                | EN 13892-4        |                               |
| Bond strength                   | >B2.0                | EN 13892-8        |                               |
| Impact resistance               | >IR10                | EN ISO 6272       |                               |
| Reaction to fire                | NPD                  |                   |                               |
| Sound absorption                | NPD                  |                   |                               |
| Thermal resistance              | NPD                  |                   |                               |
| Chemical resistance             | NPD                  |                   |                               |

### 10. APPROPRIATE TECHNICAL DOCUMENTATION AND/OR SPECIFIC TECHNICAL DOCUMENTATION:

The performance of the product identified above is in conformity with the set of declared performances. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Name: Warren Muschialli - Managing Director



At: Newton Waterproofing Systems  
Newton House  
17-19 Sovereign Way  
Tonbridge  
Kent  
TN9 1RH



On: 31 March 2017

# Epoxy Top Coat

## High Build Epoxy Floor Coating

|  |  |  |  | <p>Newton Waterproofing Systems<br/>Newton House<br/>17-19 Sovereign Way<br/>Tonbridge<br/>Kent TN9 1RH</p> |  | <p>701-HB<br/>EN 13813:2002</p> <p>Two-component epoxy resin based floor coating. <b>According to EN 13813: SR-B2.0-AR0.5-IR10. For internal uses only and not subject to fire regulations</b></p> |  |
|---|--|---|--|---|--|--|--|
| Essential characteristics   |  | Declared performance  |  | Test standard   |  | Harmonised Technical Standard  |  |
| Release of corrosive substances   |  | SR  |  | (EN 13813, 5.3.5)   |  | EN 13813:2002  |  |
| Water permeability  |  | NPD   |  |   |  |  |  |
| Wear resistance   |  | AR0.5   |  | EN 13892-4  |  |  |  |
| Bond strength   |  | >B2.0   |  | EN 13892-8  |  |  |  |
| Impact resistance   |  | >IR10   |  | EN ISO 6272   |  |  |  |
| Reaction to fire  |  | NPD   |  |   |  |  |  |
| Sound absorption  |  | NPD   |  |   |  |  |  |
| Thermal resistance  |  | NPD   |  |   |  |  |  |
| Chemical resistance   |  | NPD   |  |   |  |  |  |