

## Visqueen RadonBlok Double Sided Tape, 30mm x 30m

### Features and benefits

- Part of Radon protection IAB approved jointing system
- Provides resistance to Radon gas ingress and moisture ingress

### Product description

Visqueen RadonBlok Double Sided Tape is a yellow butyl based, double sided tape.

The tape is 30mm x 30m, has an oversized release film to aid removal.

### Approvals and standards

- Visqueen certified with Quality Management System ISO 9001:2015
- Visqueen certified with Occupational Health and Safety System ISO 45001:2018
- Visqueen certified with Environmental Management System ISO 14001:2015


### Usage

Visqueen RadonBlok Double Sided Tape is used to bond Visqueen Ultimate RadonBlok 400 and 600 membranes lap joints.

To complete the joint, seal using VisqueenPro Single Sided Tape, 75mm x 25m.

### System components

#### Find your local stockist



## Visqueen RadonBlok Double Sided Tape, 30mm x 30m

### Storage and handling

Store in dry and clean environment in its current packaging. The tape should not be exposed to long periods of ultraviolet light. Prior to use to aid adhesion, store in warm conditions above 10°C.

### Preparation

Ensure the membrane lap area is clean, dry and free from contamination such as dust or sand. Avoid areas of unsupported jointing.

### Installation

Apply Visqueen RadonBlok Double Sided Tape to the lap area of the laid sheet starting approximately 50mm from the membrane edge. Apply pressure to the tape to ensure the tape has adhered to the membrane. Remove quick release paper from the tape and overlap the adjoining membrane by minimum 150mm and seal with VisqueenPro Single Sided Tape.

Once the tapes are applied, the completed lap should be well rolled with firm pressure to ensure continuity with the adjacent sheet has been achieved.

### Usable temperature range

It is recommended that Visqueen RadonBlok Double Sided Tape and other system components should be installed above 5°C.

### Additional information

Prior to use to aid adhesion, store in warm conditions above 10°C.

The information in this datasheet was correct at the time of publication. It is the user's responsibility to obtain the latest version of the datasheet as it is updated on a regular basis. The information contained in the latest datasheet supersedes all previously published editions.

## Visqueen RadonBlok Double Sided Tape, 30mm x 30m

---

### Health and safety information

Refer to the Visqueen RadonBlok Double Sided Tape safety datasheets (SDS).

## Visqueen RadonBlok Double Sided Tape, 30mm x 30m

### About Visqueen

The Visqueen name has long been recognised as one of the leading manufacturers of high quality advanced membrane technologies and design based solutions by specifiers, distributors, builders merchants and contractors throughout the UK and Europe.

For further guidance on the Visqueen services shown below, please refer to the relevant section of the Visqueen website ([www.visqueen.com](http://www.visqueen.com)) or contact Visqueen Technical Services on +44 (0) 333 202 6800 or [enquiries@visqueen.com](mailto:enquiries@visqueen.com)

### Complete Range, Complete Solution



Structural Waterproofing



Gas Protection



Damp Proof Membrane



Tapes



Damp Proof Course



Stormwater



Vapour Control

### Visqueen Technical Support

Visqueen combine an extensive product portfolio with industry leading levels of service and support which includes guidance over the phone, bespoke CAD drawings to help with complex detailing, electronic NBS specifications and access to a dedicated team of highly knowledgeable and experienced field based Technical Support Managers.

Visqueen Technical Support is available to all our customers including architects, specifiers, distributors, builders merchants, contractors and end users. All of our technical team have been awarded the industry recognised qualification Certificated Surveyor in Structural Waterproofing (CSSW).

### Visqueen CPD Seminars

The Visqueen Continuing Professional Development (CPD) Seminars provide up-to-date information on changes within Building Regulations/Building Standards and nationally recognised industry guidance affecting damp proofing, water vapour control, hazardous ground gas protection and below ground structural waterproofing.

The one hour seminars have been produced for design specialists within the construction sector and are delivered by our team of Technical Support Managers.

### Visqueen Training Academy

Based at our manufacturing facility in Derbyshire, the Visqueen Training Academy is available to support Visqueen customers throughout the UK by providing a wide range of both theory and practical skills related training.

Courses include one day product awareness training for our distributors and builders merchants to help them in their day-to-day jobs, through to intensive three day courses giving detailed hands-on training in the practical skills required for safe and robust product installation.