



SAFETY DATA SHEET ARDEX DPM 1 C Part B

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name ARDEX DPM 1 C Part B

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Epoxy resin hardening agent

1.3. Details of the supplier of the safety data sheet

Supplier Ardex UK Limited
Homefield Road
Haverhill
Suffolk
CB9 8QP
01440 714939

Contact person safetydatasheets@ardex.co.uk

1.4. Emergency telephone number

Emergency telephone +44 (0) 870 190 6777 (24 hours)

National emergency telephone number ROI:- +353 (0)1 809 2166 (available 8am-10pm, 7 days)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (SI 2019 No. 720)


Physical hazards Not Classified

Health hazards Skin Corr. 1B - H314 Eye Dam. 1 - H318 Skin Sens. 1 - H317 Repr. 1B - H360Fd

Environmental hazards Aquatic Chronic 2 - H411

2.2. Label elements

Hazard pictograms



Signal word

Danger

Hazard statements

H318 Causes serious eye damage.
H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H360Fd May damage fertility. Suspected of damaging the unborn child.
H411 Toxic to aquatic life with long lasting effects.

ARDEX DPM 1 C Part B

Precautionary statements	<p>P102 Keep out of reach of children.</p> <p>P261 Avoid breathing vapour/ spray.</p> <p>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</p> <p>P273 Avoid release to the environment.</p> <p>P302+P352 IF ON SKIN: Wash with plenty of water.</p> <p>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P501 Dispose of contents/ container in accordance with national regulations.</p>
---------------------------------	--

Contains	<p>Fatty acids, C18 unsat, dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine, Fatty Acids, C18-unsaturated, dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine reaction products with bisphenol A diglycidyl ether, 2,4,6-TRIS(DIMETHYLAMINOMETHYL)PHENOL, 3-AMINOPROPYLDIMETHYLAMINE, ISOPHORONEDIAMINE, 4,4'-ISOPROPYLIDENEDIPHENOL, 3-AMINOPROPYLTRIETHOXYSILANE, M-PHENYLENEBIS(METHYLAMINE), SALICYLIC ACID, Fatty acids, C18-unsaturated, dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine, reaction products with glycidyl tolyl ether</p>
-----------------	---

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Fatty acids, C18 unsat, dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine	10-30%
CAS number: 68082-29-1	
Classification	
Skin Irrit. 2 - H315	
Eye Dam. 1 - H318	
Skin Sens. 1 - H317	
Aquatic Chronic 2 - H411	
BENZYL ALCOHOL	25-50%
CAS number: 100-51-6 EC number: 202-859-9	
Classification	
Acute Tox. 4 - H302	
Acute Tox. 4 - H332	
Eye Irrit. 2 - H319	
Fatty Acids, C18-unsaturated, dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine reaction products with bisphenol A diglycidyl ether	10-30%
CAS number: 2414889-39-5	
Classification	
Skin Irrit. 2 - H315	
Eye Dam. 1 - H318	
Skin Sens. 1A - H317	
Aquatic Chronic 2 - H411	

ARDEX DPM 1 C Part B

Fatty acids, C18-unsaturated, dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine, reaction products with glycidyl tolyl ether	1-5%
CAS number: —	
Classification Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317 Aquatic Chronic 2 - H411	
2,4,6-TRIS(DIMETHYLAMINOMETHYL)PHENOL	2.5-10%
CAS number: 90-72-2 EC number: 202-013-9	
Classification Acute Tox. 4 - H302 Skin Corr. 1B - H314 Eye Dam. 1 - H318	
SALICYLIC ACID	1-5%
CAS number: 69-72-7	
Classification Acute Tox. 4 - H302 Eye Dam. 1 - H318 Repr. 2 - H361d	
3-AMINOPROPYLTRIETHOXYSILANE	<2.5%
CAS number: 919-30-2 EC number: 213-048-4	
Classification Acute Tox. 4 - H302 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Skin Sens. 1 - H317	
M-PHENYLENEBIS(METHYLAMINE)	2.5-10%
CAS number: 1477-55-0 EC number: 216-032-5	
Classification Acute Tox. 4 - H302 Acute Tox. 4 - H332 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Skin Sens. 1 - H317 Aquatic Chronic 3 - H412	

ARDEX DPM 1 C Part B

ISOPHORONEDIAMINE	2.5-10%
CAS number: 2855-13-2	EC number: 220-666-8
Classification	
Acute Tox. 4 - H302	
Acute Tox. 4 - H312	
Skin Corr. 1B - H314	
Eye Dam. 1 - H318	
Skin Sens. 1 - H317	
Aquatic Chronic 3 - H412	
3-AMINOPROPYLDIMETHYLAMINE	2.5-10%
CAS number: 109-55-7	EC number: 203-680-9
Classification	
Flam. Liq. 3 - H226	
Acute Tox. 4 - H302	
Skin Corr. 1B - H314	
Eye Dam. 1 - H318	
Skin Sens. 1 - H317	
STOT SE 3 - H335	
4,4'-ISOPROPYLIDENEDIPHENOL	2.5-10%
CAS number: 80-05-7	EC number: 201-245-8
Classification	
Eye Dam. 1 - H318	
Skin Sens. 1 - H317	
Repr. 1A - H360F	
STOT SE 3 - H335	
Aquatic Chronic 2 - H411	

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Remove affected person from source of contamination. If breathing stops, provide artificial respiration. Keep affected person warm and at rest. Get medical attention immediately.
Ingestion	DO NOT induce vomiting. Get medical attention immediately. Rinse mouth thoroughly with water. Give plenty of water to drink.
Skin contact	Remove affected person from source of contamination. Remove contaminated clothing. Continue to rinse for at least 15 minutes. Get medical attention. Wash skin thoroughly with soap and water. Get medical attention promptly if symptoms occur after washing.
Eye contact	Remove affected person from source of contamination. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

General information Get medical attention promptly if symptoms occur after washing.

4.3. Indication of any immediate medical attention and special treatment needed

ARDEX DPM 1 C Part B

Notes for the doctor No specific recommendations. If in doubt, get medical attention promptly.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Extinguish with alcohol-resistant foam, carbon dioxide or dry powder.

5.2. Special hazards arising from the substance or mixture

Specific hazards In case of fire, toxic and corrosive gases may be formed. Thermal decomposition or combustion products may include the following substances: Toxic gases or vapours.

Hazardous combustion products Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. Oxides of carbon. Oxides of nitrogen.

5.3. Advice for firefighters

Protective actions during firefighting Avoid breathing fire gases or vapours.

Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Environmental precautions Avoid or minimise the creation of any environmental contamination.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Do not touch or walk into spilled material. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Flush contaminated area with plenty of water.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Avoid spilling. Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep only in the original container.

Storage class Corrosive storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

BENZYL ALCOHOL (CAS: 100-51-6)

ARDEX DPM 1 C Part B

DNEL Workers - Dermal; Long term : 9.5 mg/kg/day
Workers - Inhalation; Long term : 90 mg/m³

PNEC Fresh water; 1 mg/l
marine water; 0.1 mg/l

2,4,6-TRIS(DIMETHYLAMINOMETHYL)PHENOL (CAS: 90-72-2)

DNEL Workers - Inhalation; Short term : 0.31 mg/m³

PNEC Fresh water; 0.84 mg/l
;

3-AMINOPROPYLDIMETHYLAMINE (CAS: 109-55-7)

DNEL Workers - Inhalation; Short term : 9.8 mg/m³

PNEC Fresh water; 0.0535 mg/l
marine water; 0.00535 mg/l

4,4'-ISOPROPYLIDENEDIPHENOL (CAS: 80-05-7)

DNEL Workers - Dermal; Short term : 1.4 mg/kg/day
Workers - Inhalation; Short term : 10 mg/m³

PNEC Fresh water; 0.018 mg/l
marine water; 0.016 mg/l

ISOPHORONEDIAMINE (CAS: 2855-13-2)

DNEL Workers - Inhalation; Short term : 20.1 mg/m³

PNEC Fresh water; 0.06 mg/l
marine water; 0.006 mg/l

M-PHENYLENEBIS(METHYLAMINE) (CAS: 1477-55-0)

PNEC Fresh water; 0.94 mg/l
marine water; 0.0094 mg/l

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

Provide adequate general and local exhaust ventilation. Observe any occupational exposure limits for the product or ingredients.

Eye/face protection

The following protection should be worn: Chemical splash goggles.

Hand protection

Use protective gloves. It is recommended that gloves are made of the following material: Viton rubber (fluoro rubber). Nitrile rubber. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected.

Other skin and body protection

Wear appropriate clothing to prevent any possibility of skin contact.

ARDEX DPM 1 C Part B

Hygiene measures	Provide eyewash station and safety shower. Do not smoke in work area. Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. When using do not eat, drink or smoke.
Respiratory protection	If ventilation is inadequate, suitable respiratory protection must be worn. Combination filter, type A2/P2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid.
Colour	Yellowish.
Odour	Amine.
Melting point	Not determined.
Initial boiling point and range	ca. 135°C
Flash point	ca. 86°C
Vapour pressure	0.3 hPa @ °C
Solubility(ies)	Not miscible or difficult to mix.
Auto-ignition temperature	380°C
Viscosity	600 mPa s @ 20°C
Explosive properties	Not considered to be explosive.

9.2. Other information

Other information	No information required.
--------------------------	--------------------------

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	There are no known reactivity hazards associated with this product.
-------------------	---

10.2. Chemical stability

Stability	No decomposition if used according to specifications.
------------------	---

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	No potentially hazardous reactions known.
---	---

10.4. Conditions to avoid

Conditions to avoid	No further relevant information available.
----------------------------	--

10.5. Incompatible materials

Materials to avoid	Strong oxidising agents.
---------------------------	--------------------------

10.6. Hazardous decomposition products

Hazardous decomposition products	Poisonous gases/vapours Corrosive gases/vapours
---	---

SECTION 11: Toxicological information

11.1. Information on toxicological effects

ARDEX DPM 1 C Part B**Acute toxicity - dermal**

ATE dermal (mg/kg) 73,600.0

Inhalation Vapour may irritate respiratory system/lungs.**Ingestion** Ingestion may cause severe irritation of the mouth, the oesophagus and the gastrointestinal tract.**Skin contact** May cause skin irritation/eczema.**Eye contact** Causes burns.**Toxicological information on ingredients.****BENZYL ALCOHOL****Acute toxicity - oral**Acute toxicity oral (LD₅₀ mg/kg) 1,360.0

Species Mouse

ATE oral (mg/kg) 1,360.0

Acute toxicity - dermalAcute toxicity dermal (LD₅₀ mg/kg) 2,000.0

Species Rabbit

2,4,6-TRIS(DIMETHYLAMINOMETHYL)PHENOL**Acute toxicity - oral**Acute toxicity oral (LD₅₀ mg/kg) 2,169.0

Species Rat

ATE oral (mg/kg) 500.0

3-AMINOPROPYLTRIETHOXYSILANE**Acute toxicity - oral**Acute toxicity oral (LD₅₀ mg/kg) 1,780.0

Species Rat

ATE oral (mg/kg) 1,780.0

Acute toxicity - dermalAcute toxicity dermal (LD₅₀ mg/kg) 4,290.0

Species Rabbit

ATE dermal (mg/kg) 4,290.0

M-PHENYLENEBIS(METHYLAMINE)

ARDEX DPM 1 C Part B**Acute toxicity - oral**

**Acute toxicity oral (LD₅₀
mg/kg)** 930.0

Species Rat

ATE oral (mg/kg) 930.0

Acute toxicity - dermal

**Acute toxicity dermal (LD₅₀
mg/kg)** 3,100.0

Species Rabbit

Notes (dermal LD₅₀)

ISOPHORONEDIAMINE**Acute toxicity - oral**

**Acute toxicity oral (LD₅₀
mg/kg)** 1,030.0

Species Rat

ATE oral (mg/kg) 1,030.0

Acute toxicity - dermal

**Acute toxicity dermal (LD₅₀
mg/kg)** 1,840.0

Species Rabbit

ATE dermal (mg/kg) 1,840.0

3-AMINOPROPYLDIMETHYLAMINE**Acute toxicity - oral**

**Acute toxicity oral (LD₅₀
mg/kg)** 410.0

Species Rat

ATE oral (mg/kg) 410.0

Acute toxicity - dermal

**Acute toxicity dermal (LD₅₀
mg/kg)** 1,200.0

Species Rat

Acute toxicity - inhalation

**Acute toxicity inhalation
(LC₅₀ vapours mg/l)** 24.8

Species Rat

**ATE inhalation (vapours
mg/l)** 24.8

ARDEX DPM 1 C Part B

4,4'-ISOPROPYLIDENEDIPHENOL

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 3,250.0

Species Rat

ATE oral (mg/kg) 3,250.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg) 3,000.0

Species Rat

ATE dermal (mg/kg) 3,000.0

Acute toxicity - inhalation

Acute toxicity inhalation (LC₅₀ vapours mg/l) 5.0

Species Rat

SECTION 12: Ecological information

Ecotoxicity No data on possible environmental effects have been found.

12.1. Toxicity

Ecological information on ingredients.

BENZYL ALCOHOL

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: 10 mg/l, *Lepomis macrochirus* (Bluegill)

Acute toxicity - aquatic invertebrates EC₅₀, 24 hours: 400 mg/l, *Daphnia magna*

2,4,6-TRIS(DIMETHYLAMINOMETHYL)PHENOL

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 24 hours: 222 mg/l, *Oncorhynchus mykiss* (Rainbow trout)

Acute toxicity - aquatic plants LC₅₀, 72 hours: 84 mg/l, *Scenedesmus subspicatus*

M-PHENYLENEBIS(METHYLAMINE)

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: 87.6 mg/l, *Oryzias latipes* (Red killifish)
LC₅₀, 96 hours: >100 mg/l, *Oncorhynchus mykiss* (Rainbow trout)
LC₅₀, 96 hours: >100 mg/l, *Brachydanio rerio* (Zebra Fish)

Acute toxicity - aquatic invertebrates EC₅₀, 48 hours: 15.2 mg/l, *Daphnia magna*

Acute toxicity - aquatic plants EC₅₀, 72 hours: 20.3 mg/l, *Selenastrum capricornutum*

ARDEX DPM 1 C Part B

ISOPHORONEDIAMINE

Acute aquatic toxicity

Acute toxicity - fish	LC ₅₀ , 96 hours: 110 mg/l, Leuciscus idus (Golden orfe)
Acute toxicity - aquatic invertebrates	EC ₅₀ , 48 hours: 23 mg/l, Daphnia magna
Acute toxicity - aquatic plants	EC ₅₀ , 72 hours: >50 mg/l, Scenedesmus subspicatus

3-AMINOPROPYLDIMETHYLAMINE

Acute aquatic toxicity

Acute toxicity - fish	LC ₅₀ , 96 hours: 122 mg/l, Leuciscus idus (Golden orfe)
Acute toxicity - aquatic invertebrates	EC ₅₀ , 48 hours: 59.5 mg/l, Daphnia magna
Acute toxicity - aquatic plants	LC ₅₀ , 72 hours: 53.5 mg/l, Scenedesmus subspicatus

4,4'-ISOPROPYLIDENEDIPHENOL

Acute aquatic toxicity

Acute toxicity - fish	EC ₅₀ , 96 hours: 42 mg/l, Fish
------------------------------	--

12.2. Persistence and degradability

Persistence and degradability No further relevant information available.

12.3. Bioaccumulative potential

Bioaccumulative potential No further relevant information available.

12.4. Mobility in soil

Mobility No further relevant information available

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment No information available.

12.6. Other adverse effects

Other adverse effects Not determined.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID)	2735
UN No. (IMDG)	2735
UN No. (ICAO)	2735

ARDEX DPM 1 C Part B

UN No. (ADN) 2735

14.2. UN proper shipping name

Proper shipping name (ADR/RID) 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (N,N-dimethyl-1,3-diaminopropane, 1,3-Benzoldimethanamine), ENVIRONMENTALLY HAZARDOUS)

Proper shipping name (IMDG) 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (N,N-dimethyl-1,3-diaminopropane, 1,3-Benzoldimethanamine), ENVIRONMENTALLY HAZARDOUS)

Proper shipping name (ICAO) 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (N,N-dimethyl-1,3-diaminopropane, 1,3-Benzoldimethanamine), ENVIRONMENTALLY HAZARDOUS)

Proper shipping name (ADN) 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (N,N-dimethyl-1,3-diaminopropane, 1,3-Benzoldimethanamine), ENVIRONMENTALLY HAZARDOUS)

14.3. Transport hazard class(es)

ADR/RID class 8

ADR/RID classification code C7

ADR/RID label 8

IMDG class 8

ICAO class/division 8

ADN class 8

Transport labels



14.4. Packing group

ADR/RID packing group II

IMDG packing group II

ICAO packing group II

ADN packing group II

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant



14.6. Special precautions for user

IMDG Code segregation group 18. Alkalis

EmS F-A, S-B

ADR transport category 2

Emergency Action Code 2X

Hazard Identification Number (ADR/RID) 80

ARDEX DPM 1 C Part B

Tunnel restriction code (E)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Revision comments	3
Issued by	UK Regulatory and Product Compliance Officer
Revision date	07/09/2022
Supersedes date	21/01/2022
SDS number	20367
Hazard statements in full	<p>H226 Flammable liquid and vapour. H302 Harmful if swallowed. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H335 May cause respiratory irritation. H360F May damage fertility. H360Fd May damage fertility. Suspected of damaging the unborn child. H361d Suspected of damaging the unborn child. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.</p>

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.