



Date: 01/12/17 Revision No: 3

## Section 1; Identification of the substance /mixture and of the company undertaking

1.1 Product Identifier

Product Name: SAFESTRIKE XL

**REACH Registered Name:** 

**REACH Registered Number:** 

**CAS Number:** 

**EINECS Number:** 

Synonyms: Biodegradable, Environmentally Friendly Non Hazardous Aqueous Mould Release

Agent

1.2 Relevant identified uses of the substance or mixture & uses advised against

Use Of Substance /mixture: Proprietary concrete mould release agent

# 1.3 Details of the supplier of the safety data

Company Name: Adomast Manufacturing Ltd

**Barkston Road** 

**Carlton Industrial Estate, Barnsley** 

**S71 3HU** 

Tel: 01226 707863

Fax: 01226 718051

Email: sales@adomast.co.uk

## 1.4 Emergency telephone number

**Emergency Telephone Number: 07887 416399 (24hours)** 







Date: 01/12/17 Revision No: 3

#### **Section 2: Hazards Identification**

2.1 Classification of the substance or mixture: None identified

In compliance with EC Regulation No. EC 1272/2008 and its amendments

Most Important adverse effect: No significant hazard. May cause very mild skin irritation

#### 2.2 Label elements

In compliance with EC Regulation No. EC 1272/2008 and its amendments

This product has no classification under CLP

Hazard statements: No significant hazard. May cause mild skin irritation

Signal words:

Hazard pictograms:

### **Precautionary statements:**

P280 :Wear Protective gloves/clothing/eye protection

P303 +361 + 353;IF ON SKIN OR HAIR : remove all contaminated clothing. Rinse skin with water /shower

P304 =340 IF INHALED. Remove to fresh air and keep at rest in a position comfortable for breathing

P305 +351+338; IF IN EYES rinse carefully with water for several minutes. Remove contact lenses if present & easy to do so . Continue rinsing.

P501: Dispose of contents/container to: an approved waste facility

# 2.3 Other hazards:

PBT : This product is not identified as a PVT/vPvB substance







Date: 01/12/17 Revision No: 3

### **Section 3: Composition on ingredients**

#### 3.2 Mixtures

Chemical Name EINECS CAS Classification - Percent

**REGULATION (EC) No** 

1272/2008

Alcohol Ethox-

68439-46-3

Acute tox 4:

<1%

ylate C9-C11

H302

Eye Dam 1 : H318

#### Section 4: First Aid measures

#### 4.1 Description of first aid measures:

Skin contact: Remove contaminated clothes and footwear immediately. Drench the affected skin with

running water for 10 minutes

Eye Contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist

examination if symptoms persist

Ingestion: Wash the mouth out with water. Do not induce vomiting. Get medical attention if adverse

effects occur

Inhalation: Remove casualty from exposure. If unconscious check for breathing & apply artificial

respiration if necessary. Get medical attention if adverse effects occur

## 4.2 Most important symptoms and effects, both acute and delayed

Skin contact: Irritation or pain may occur at site of contact.

Eye Contact: There may be irritation & redness.

Ingestion: There may be soreness & redness of the mouth & throat. Corrosive burns may appear around

the lips. May cause throat burns. Nausea & stomach pains may occur. There may be vomiting.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. May cause

irritation to the mucous membrane and respiratory system.







Date: 01/12/17 Revision No: 3

Delayed / Immediate effects: Immediate effects can be expected after short term exposure.

4.3 Indication of any immediate medical attention and special treatment needed

Immediate /special treatment: Eye bathing equipment should be available on the premises

# **Section 5 : Fire-Fighting measures**

## 5.1 Extinguishing media

Extinguishing media: No known UNSUITABLE extinguishing media. Suitable extinguishing media for the

surrounding fire should be used. Use water spray to cool containers.

5.2 Special hazards arising from the substance or mixture

Exposure hazards: The material is not flammable. In combustion, emits toxic fumes of carbon

dioxide/carbon monoxide.

# 5.3 Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to

prevent contact with skin and eyes.

### Section 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions: Wear suitable protective clothing. Refer to section 8 of SDS for personal

protection details

## 6.2 Environmental precautions

Environmental; precautions: Do not discharge into drains or rivers. Contain the spillage using bunding







Date: 01/12/17 Revision No: 3

#### 6.3 Methods and material for containment and cleaning up

Clean up procedures: Personal precautions: Mark out the contaminated area with signs and prevent

access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid. Absorb into dry earth or sand. Transfer to a closable,

labelled salvage container for disposal by an appropriate method.

## Section 7 Handling and storage

### 7.1 Precautions for safe handling:

Handling requirements:

#### 7.2 Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed

Suitable packaging: Plastic/ Plastic lined

7.3 Specific end uses (s)

Specific end uses: No special requirement

Section 8: Exposure control / personal protection

## 8.1 Control parameters

Workplace exposure limits

Location 8 hour TWA 15 min STEL 8 Hour TWA 15 min STEL







Date: 01/12/17 Revision No: 3

Hazardous ingredients: None

UK 8 hour TWA 15 min STEL

**DNEL / PNEC Values : No data available** 

Type Exposure Value Population Effect

### 8.2 Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area

Respiratory protection: Respiratory protection is not normally required However suitable

respiratory equipment may need to be provided for those operations which generate vapour, mists or fumes and where exposure cannot be adequately

controlled by local exhaust ventilation or other means

Hand protection: Protective gloves (alkali resistant)

Eye protection: Tightly fitting safety goggles. Ensure eye bath is to hand.

Skin protection: Protective clothing

Environmental: No special requirement







Date: 01/12/17 Revision No: 3

### **Section 9.0 Physical and Chemical properties**

### 9.1 Information on basic physical and chemical properties

State: Low viscosity water/oil based compound

Colour: milky white solution

Odour: Barely perceptible odour

Oxidisisng: Non oxidising

Solubility in water: Fully soluble

Viscosity: Low viscosity

Boiling point /range °C: >100°C

Relative density: 0.95-1.02

pH: 7-8

#### 9.2 Other information

Other information: Biodegradable and non hazardous product

### Section 10.0 Stability and reactivity

#### 10.1 Reactivity

Reactivity: stable under normal conditions

### 10.2 Chemical stability

Chemical stability: stable under normal conditions

### 10.3 Possibility of hazardous reactions

Possibility of hazardous reactions: Hazardous reactions will not occur under normal transport or

storage conditions







Date: 01/12/17 Revision No: 3

10	4	Col	ndi	itio	nc	tο	av	hin	

Conditions to avoid: Excessive Heat

10.5 Incompatible materials

Materials to avoid: Strong oxidising agents

10.6 Hazardous decomposition products

Haz decomp products: This product may give rise to hazardous fumes in a fire.

(carbon monoxide/carbon dioxide)

**Section 11 Toxicological information** 

11.1 Information on toxicological effects:

**Toxicity values:** 

Route species Test Value Units

ORAL RAT LD50 > 2000 mg/kg

Relevant effect for mixture:

Effect Route Basis







Date: 01/12/17 Revision No: 3

# Symptoms / routes of exposure

Skin contact: Mild irritation or pain may occur at the site of contact.

Eye contact: There may be redness and irritation.

Ingestion: There may be soreness and redness of the throat. Nausea and stomach pains may occur

Inhalation: There may be irritation of the throat and a feeling of tightness in the chest. May cause

irritation of the mucous membranes and respiratory system

Delayed / immediate effects: Immediate effects can be experienced after short term exposure

Other information: No other information available at this moment

### **Section 12 Ecological information**

## 12.1 Toxicity:

### **Ecotoxicity values:**

Species	Test	Value	Units
Algae	48H EC50	>1000	mg/l
Daphinia magna	96H LC50	>1000	mg/l
Fish	96H EC50	>1000	mg/l

### 12.2 Persistence and degradability

Persistence and degradability: READILY BIODEGRADABLE







Date: 01/12/17 Revision No: 3

#### 12.3 Bioaccumulative potential

Bioaccumulative potential: There is no evidence of bioaccumulation

12.4 Mobility in soil

Mobility: Readily absorbed into soil.

12.5 Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PVt/vPvB substance

12.6 Other adverse effects

Other adverse effects: Not expected to cause significant environmental impact

# **Section 13 Disposal considerations**

#### 13.1 Waste treatment methods

Disposal Operations: Normally can be flushed down sewers but not recommended. Dispose of through licensed contractor

Recovery operations: No information available at this time

Disposal of packaging: May be reused following decontamination. Where practical containers and packaging should be recycled by a licensed contractor

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.







Date: 01/12/17 Revision No: 3

Section 14 Transport information. This product does not require classification for transport

14.1 UN number:

UN Number: NA-not regulated. Not considered dangerous

14.2 UN proper shipping name

Shipping name: NA—not regulated. Not considered dangerous

14.3 Transport Hazard Class

Transport class: This product does not require a classification for transport. This product is not

dangerous, not hazardous, and not restricted for transport by air

14.4 Packing Group

Packing group:

14.5 Environmental hazards

**Environmentally hazardous: NO** 

Marine pollutant : NO

14.6 Special precautions for user

Special precautions: No special precautions

Tunnel code: NA

Transport category: NA

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code

Transport in bulk:







Date: 01/12/17 Revision No: 3

### **Section 15 Regulatory information**

#### 15.1 Safety, health and environmental regulations specific for the substance or mixture

#### **Specific regulations:**

P280 :Wear Protective gloves/clothing/eye protection

P303 +361 + 353;IF ON SKIN OR HAIR : remove all contaminated clothing. Rinse skin with water /shower

P304 +340 IF INHALED. Remove to fresh air and keep at rest in a position comfortable for breathing

P305 +351+338; IF IN EYES rinse carefully with water for several minutes. Remove contact lenses if present & easy to do so . Continue rinsing.

P501: Dispose of contents/container to: an approved waste facility

### 15.2 Chemical Safety Assessment

**Chemical safety assessment**: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

#### Section 16 Other information

#### 16.1 Other information:

## Other information:

Phrases used in s.2 and s.3:

P280 :Wear Protective gloves/clothing/eye protection

P303 +361 + 353;IF ON SKIN OR HAIR: remove all contaminated clothing. Rinse skin with water /shower

P304 =340 IF INHALED. Remove to fresh air and keep at rest in a position comfortable for breathing

P305 +351+338; IF IN EYES rinse carefully with water for several minutes. Remove contact lenses if present & easy to do so . Continue rinsing.

P501: Dispose of contents/container to: an approved waste facility

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The company shall not be held liable for any damage resulting from handling or from contact with the above product.

