

(EC) No 1907/2006/EC article 31

# Version 1.01 TEKINJECT PU 1C STOP 1. Identification of the substance/mixture and of the company/undertaking

Product identifier

Product name: TEKINJECT PU 1C STOP

Type of product: Mixture

Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Only for professional use.

Details of the supplier of the safety data sheet

Company: TEKINJECT BV

Kruisblok 6

BE - 2320 HOOGSTRATEN

E-mail address: <u>info@tekinject.com</u>

Emergency telephone number

24-hours emergency number: +32 494 239 441

National poison information service: This is a generic EU Safety Data Sheet. Consult your

Specific member state version for this information.

23-01-2024

### 2. Hazard Identification

#### Classification according to Regulation (EC) No 1272/2008



GHS08 health hazard

Resp. Sens. 1 H334 May cause allergy or athma symptoms or breathing difficulties if

inhaled.

Carc. 2 H351 Suspected of causing cancer.

STOT RE2 H373 May cause damage to organs through prolonged or repeated exposure.



#### GHS07

Acute tox. 4 H332 Harmful if inhaled.
Skin irrit. 2 H315 Causes skin irritation.
Eye Irrit. 2 H319 Causes serious eye irritation.
Skin Sens. 1 H317 May cause an allergic skin reaction.
STOT SE 3 H335 May cause respiratory irritation.



(EC) No 1907/2006/EC article 31

23-01-2024

TEKINJECT PU 1C STOP

Version 1.01

### **Label elements**

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

#### · Hazard pictograms



**GHS 08** 



**GHS 07** 

· Signal word: Danger

#### · Hazard-determination components of labeling:

Diphenylmethanediisocyanate, isomers and homologues.

Isocyanic acid, polymethylenepolyphenylene ester, polymer with . alpha. – hydro. – omega –

hydroxypolyoxy(methyl-1,2-ethanediyl)

4,4'-methylenediphenyl diisocyanate

Reaction mass of 4,4'-methylenediphenyl diisocyanate and o-(p-isocyanatobenzyl)fenylisocyanate

#### **Hazard statements:**

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H334 May cause an allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

#### · Precautionary statements:

P260 Do breathe dust/mist/fume/gas/vapours/spray.

P261 Avoid breathing dust/fumes/gas/mist/vapors/spray.

P284 In case of inadequate ventilation, wear respiratory protection.

P305+P351+P338 IF IN EYES: rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P403+P233 Store in well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Additional information: Contains isocyanates. May produce an allergic reaction.
- · Other hazards
- Results of PBT and vPvB assessment:
- · PBT: Not applicable
- · vPvB: Not applicable



(EC) No 1907/2006/EC article 31

Version 1.01 TEKINJECT PU 1C STOP

23-01-2024

## 3. Composition/information on ingredients

Description: mixture of substances with nonhazardous additions.

Dangerous componer			Г
CAS 9016-87-9	Diphenylmethanediisocyanate, isomers and homologues	Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373	40 – 100 %
		Acute tox. 4, H332; Skin Irritant 2, H315; eye Irrit. 2, H319; skin sense. 1, H317; STOT SE3 H335	
CAS: 53862-89-8	Isocyanic acid, polymethylenepolyphenylene ester, polymer with apha. – hydroomega hydroxypolyoxy(methyl-1,2- ethanediyl)	Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373	5 – 35 %
		Acute tox. 4, H332; Skin Irritant 2, H315; eye Irrit. 2, H319; skin sense. 1, H317; STOT SE3 H335	
CAS: 101-68-8 EINECS: 202-966-0	4,4'-methylenediphenyl diiscocyanate	Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373	0 - ≤ 3,5 %
	Description was a f 4 42	Acute tox. 4, H332; Skin Irritant 2, H315; eye Irrit. 2, H319; skin sense. 1, H317; STOT SE3 H335	
	Reaction mass of 4,4'- methylenediphenyl diisocyanate and o-(p- isocyanatebenzyl)fenylisocyanate	Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373	0 - ≤ 3,5 %
		Acute tox. 4, H332; Skin Irritant 2, H315; eye Irrit. 2, H319; skin sense. 1, H317; STOT SE3 H335	

Additional information: For the wording of the listed hazard phrases refer to section 16.



(EC) No 1907/2006/EC article 31 **TEKINJECT PU 1C STOP** 

23-01-2024

Version 1.01

#### 4. First aid measures

- Description of first aid measures.
- General information: Symptoms of poisoning may even occur after several hours; therefor medical observation for at least 48 hours after the accident.
- **After inhalation:** Supply fresh air and to be sure call for a doctor. In case of unconsciousness place the patient stable inside position for transportation.
- After skin contact: Immediately remove as much product as possible, using a dry cloth, a towel, a paper towel or tissues. Thoroughly use a waterless soap to remove the remaining product. Afterwards rinse and wash with water and soap.
- After eye contact: immediately remove as much product around the eyes as possible, using a dry cloth, a towel, a paper towel or tissues. Rinse opened eye for several minutes under running water, then consult a doctor.
- After swallowing: If symptoms persist, consult a doctor.

### 5. Fire-fighting measures

- Extinguishing media.
- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- Special hazards arising from the substance or mixture: no relevant information available.
- Advise for firefighters: No relevant information available.
- Protective equipment: No special measures required.

### 6. Accidential releases measures

- **Personal precautions, protective equipment and emergency procedures:** Not required.
- Environmental precautions: Do not allow to enter sewers/surface or ground water.
- Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binder, universal binder, sawdust). Use neutralizing agent. Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
- References to other sections
  - See section 7 for information and safe handling.
  - See section 8 for information on personal protection equipment.
  - See section 13 for disposal information.

#### 7. Handling and storage

- **Precautions for safe handling:** ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about fire- and explosion protection: No special measures required.
- Conditions for safe storage, including any incompatibilities.
- Storage: No special requirements
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- Specific end use(s): No further relevant information available.



(EC) No 1907/2006/EC article 31

Version 1.01 TEKINJECT PU 1C STOP 23-01-2024

### 8. Exposure control/personal protection

· Additional information about design of technical facilities: No further data; see section 7.

Control parameters

Ingredients with limit values that require monitoring at the workplace:			
9016-87-9 dipl	9016-87-9 diphenylmethanediisocyanate, isomers and homologues		
WEL	Short-term value: 0,07 mg/m <sup>3</sup>		
	Long-term value: 0,02 mg/m <sup>3</sup>		
	Sen; as -NCO		
101-68-8 4'4'-methylenediphenyl diisocyanate			
WEL	Short-term value: 0,07 mg/m <sup>3</sup>		
	Long-term value: 0,02 mg/m <sup>3</sup>		
	Sen; as -NCO		
	Ingredients with bioligocal limit values:		
101-68-8 4'4'-methylenediphenyl diisocyanate			
BMGV	1 μmol creatinine/mol		
	Medium: urine		
	Sampling time: at the end of the period of exposure		
	Parametr: isocyante-derived diamine.		

- **Additional information:** The lists valid during the making were used as basis.
- · Exposure controls
- Personal protective equipment.
- General protective and hygienic measures:

Keep away from foodstuffs, beverages, and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before break and at the end of the work.

Avoid contact with eyes and skin.

#### · Respiratory protection:

In case of brief exposure or low pollution, use respiratory filter device. In case of intensive or longer exposure, use self-contained respiratory protection device.

Protection of hands:



Protective gloves

The glove material must be impermeable and resistant to the product/the substances/the preparation. Due to missing tests no recommendation to the glove material can be given.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

### • Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefor to be checked prior to the application.

#### Penetration time of glove material:

The exact break through time must be found out by the manufacturer of the protective gloves and must be observed.

#### Eye protection:



Tightly sealed goggles.



Version 1.01

(EC) No 1907/2006/EC article 31 TEKINJECT PU 1C STOP

23-01-2024

Physical and technical properties

	Information on basic physical and chemical pro	nerties
	General information	perties
	Appearance:	
	Form	Liquid
	Colour	brown
	Odour	Characteristic.
	pH-value:	Not determined.
	Change in condition	
	Melting point/freezing point:	Not determined.
	Initial boiling point and boiling range:	Not determined.
	Ignition temperature	400 °C
	Flash point:	Not applicable
	Flammability (solid,gas):	Not applicable.
	Decomposition temperature:	Not determined.
	Auto-ignition temperature:	Product is not selfigniting.
	Explosive properties:	Product does not present an explosion hazard.
	Explosion limits :	
	Lower:	1,5 Vol %
	Upper:	12,5 Vol %
	Vapour pressure at 20 °C:	Not determined.
	Density at 20 °C:	1,177 g/cm <sup>3</sup>
	Relative density:	Not determinded.
•	Vapour density:	Not determined.
	Evaporation rate:	Not determined.
	Solubility in/miscibility with water:	Not miscible or difficult to mix.
	Partition coefficient: n-octanol/water:	Not determined.
	Viscosity:	
	Dynamic at 20 °C:	115 mPa.s
	Kinematic:	Not determined.
	Solvent content:	
	Organic solvent:	0,0 %
	VOC (EC):	0,00 %
	Other information:	No further relevant information.

## 10. Stability and reactivity

- Reactivity: No further relevant information available.
- **Chemical stability:**
- Thermal decomposition/conditions to be avoided: No decomposition if used according to
- Possibility of hazardous reactions: No dangerous reactions known.
- Conditions to avoid: No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.



(EC) No 1907/2006/EC article 31

Version 1.01 TEKINJECT PU 1C STOP 23-01-2024

### 11. Toxicological information

Information on toxicological effects

Acute toxicity: Harmfull if swallowed

LD/LC50 values relevant for classication:				
9016-87-9 diphenylmethanediisocyanate, isomers and homologues				
Oral	LD50	1,311 mg/kg (rat)		
Dermal	LD50	>9,400 mg/kg (Rabbit)		
53862-89-8 Isocyanic acid, polymethylenep	53862-89-8 Isocyanic acid, polymethylenepolyphenylene ester, polymer with .alpha. – hydro			
Omega. – hydroxypolyoxy (methyl-1,2-ethanediyl)				
Oral	LD50	> 10,000 mg/kg (Rat)		
Dermal	LD50	>9,400 mg/kg (Rat)		
101-68-8 4,4'-methylenediphenyl diisocyanate				
Oral	LD50	2,200 mg/kg (mouse)		
		> 10,000 mg/kg (rat)		
Dermal	LD50	>9,400 mg/kg (Rabbit)		
Reaction mass of 4,4'-methylenediphenyldiisocyanate and o-(p-				
isocyanatobenzyl)phenylisocyanate				
Oral	LD50	>10,000 mg/kg (Rat)		
Dermal	LD50	>9,400 mg/kg (Rabbit)		

- Primary irritant effect:
- · Skin corrosion/irritation:

Causes skin irritation.

Serious eye damage/irritation:

Causes serious eye irritation.

Respiratory or skin sensitization:

May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.

- CMR effect (carcinogenity, mutagenicity and toxicity for reproductions):
- Germ cell mutagenicity: based on available data, the classification criteria are not met.
- · Carcinogenicity: suspected of causing cancer.
- Reproductivity toxicity: based on available data, the classification criteria are not met.
- STOT-single exposure: May cause respiratory irritation.
- STOT-repeated exposure: May cause damage to organs through prolonged or repeated exposure.
- Aspiration hazard: based on available data, the classification criteria are not met.



(EC) No 1907/2006/EC article 31

Version 1.01 TEKINJECT PU 1C STOP 23-01-2024

### 12. Ecological information

· Toxicity

Aquatic toxicity		
9016-87-9 Diphenylmethanediisocyanate, isomers and homologues		
LC50/96 h	>1,000 mg/l (zebrafish)	
EC50/24 h	>1,000 mg/l (daphnia)	
EC50/96 h	>1,000 mg/l (fish)	
EC50/72 h	>1,640 mg/l (algea)	
53862-89-8 Isocyanic acid, polymethylenepolyphenyleneester, polymer with alpha. – hydro. –		
omega. – hydroxypolyoxy (methyl-1,2-ethanediyl)		
LC50/96 h (static)	>1,000 mg/l (zebrafish)	
LC50/24 h (static)	>1,000 mg/l (daphnia)	
101-68-8 4,4'-methylenediphenyl diisocyante		
LC50/96 h	>1,000 mg/l (fish)	
EC50/24 h	>1,000 mg/l (daphnia)	
Reaction mass of 4,4'-methylenediisocyanate and o-(p-isocyanatobenzyl)phenyldisocyanate		
LC50/96 h	>1,000 mg/l (fish)	
EC50/24 h	>1,000 mg/l (daphnia)	

Persistence and degradability: No further relevant information available.

- Behaviour in environmental systems: No further relevant information available.
- Bioaccumulative potential: No further relevant information available.
- Mobility in soil: No further relevant information available.
- **Ecotoxical effects:** No further relevant information available.
- Additional ecological information: No further relevant information available.
- General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water source or sewage system.

Results of PBT and vPvB assessments:

**PBT:** not applicable. **vPvB:** not applicable.

Other adverse effects: No further relevant information available.

#### 13. Disposal consideration

- Waste treatment methods
- Recommendation:

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleaning agents: water, if necessary together with cleansing agent.



Version 1.01

(EC) No 1907/2006/EC article 31 TEKINJECT PU 1C STOP

23-01-2024

### 14. Transport information

UN-number	
ADR, IMDG, IATA	Not regulated
UN proper shipping name	
ADR, IMGD, IATA	Not regulated
Transport hazard class(es)	
ADR, AND, IMDG, IATA	Not regulated
Class	<b>g</b>
Packing group	
ADR; IMDG, IATA	Not regulated
Environmental hazards:	Not regulated
Special precautions for user	Not applicable
Transport additional information:	Not applicable
UN « Model regulation » :	Not regulated

### 15. Regulatory information

Safety, health and environmental regulations: legislation specific for the product.

Directive 2012/18/EU

Named dangerous substances – ANNEX 1: None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII: Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II

None of the ingredients is listed.

Chemical safety assessment: A chemical Safety Assessment has not been carried out.



(EC) No 1907/2006/EC article 31 **TEKINJECT PU 1C STOP** 

Version 1.01

### 16. Additional information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

23-01-2024

#### Relevant phrases referred to under sections 2 and 3:

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

#### Abbreviations and acronyms:

ADR: European agreement concerning the International Carriage of Dangerous Goods by road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and labelling of chemicals.

EINECS: European Inventory of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the Ameriacan Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persitent, Bioaccummulative and Toxic

vPvB: very Persitent and very Bioacummulative

Acute Tox. 4: Acute toxicity - inhalation - Category 4.

Skin Irrit. 2: Skin corrosion/irritation – Category 2.

Eye Irrit. 2 : Serious eye damage/eye irritation – Category 2.

Resp. Sens. 1: Respiratory sensititasion – Category 1.

Resp. Sens. 1B: Respiratory sensititasion - Category 1B.

Skin Sens. 1: Skin sensititatsion – Category 1.

Skijn Sens. 1B: Skin sensititasion – Category 1B.

Carc. 2: Carcinogenicity – Category 2.

STOT SE3: Specific target organ toxicity (sngle exposure) – Category 3.

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2.